

Check the certificate 1. Scan the QR code

2. Make sure that you are on the site http://pasp.yanos.slavneft.ru

3. Compare the original on the website and your copy

Check the correspondence of your certificate copy with the one received by the link.

Public Joint Stock Company Slavneft-Yaroslavnefteorgsintez Legal address: Russian Federation, 150023, Yaroslavl Region, Yaroslavl, Moskovsky Prospekt 130 e-mail: post@yanos.slavneft.ru ; phone/fax: (4852)49-81-00/40-76-76 Production address: Russian Federation, 150023, Yaroslavl Region, Yaroslavl, Moskovsky Prospekt 150

Certificate of conformity of the Quality Management System Certificate ISO 9001:2015 No.: 20.1994.026, valid until 11.01.2024

QUALITY CERTIFICATE No. 51 Sulfuric acid contact technical grade 1

Document establishing product specifications: GOST 2184-2013 "Technical sulfuric acid. Specifications" OKPD Code 2 20.13.24.122

Batch number:	51		POCCHAGE
Date of manufacture:	February 14, 2022		24
Batch size (mass):	479 t		
Sampling site (according to GOST 2184)	E-01		12 400 - 10
Date of sampling:	February 14, 2022		Lipewee
Test date:	February 14, 20 <mark>22</mark>		2008

No.	Name of the indicator	Testing method	GOST 2184-2013 Standard	The actual value	
1.	Mass fraction of monohydrate (H2SO4), %	Acc.to cl. 7.3. GOST-2184-2013	no less than 92.5	93.5	
2.	Mass fraction of iron, (Fe), %	Acc.to cl. 7.4. GOST-2184-2013	no more than 0.02	0.01	
3.	Mass fraction of residue in ignition, %	Acc.to cl. 7.5. GOST-2184-2013	not more than 0.05	0.01	
4.	Color of cm ³ for reference solution	Acc. to cl. 7.12, GOST 2184-2013	no more than 6	1	
Additional requirements (contract, contract specification, delivery agreement, etc.)					
No.	Name of the indicator	Testing method	The norm under the contract, etc.	The actual value	

110.	Traine of the indicator
1.	Density at 20 °C, kg/m ³

Conclusion:

Sulfuric acid contact technical grade 1 meets the requirements: - GOST 2184-2013 "Technical sulfuric acid. Specifications"

Additional Information:

-transportation and storage - according to GOST 2184; -warranty period of storage - one month from the date of shipment.

> Head of the Laboratory of Entrance Control and Gas Analysis

Laboratory assistant /signature/ T.A. Petrova

February 14, 2022

S.V. Usanova

1830.0

L.S.

Passport issue date

/seal/ Public Joint Stock Company * Yaroslavl * Slavneft-Yaroslavlnefteorgsintez" (PJSC "Slavneft YANOS") Central plant laboratory (Quality Control Section*) for quality certificates No. 4)



/signature/

Acc. to cl. 1.

GOST-18995.1-73